

Healthmatic Touchless Toilet Specification

Final specifications and colour choices to be discussed with client.

Doors:

Healthmatic Specialist Public Toilet Door with options for free entry, coin, contactless and access pad entry

- Galvanised and powder coated in RAL Colours
- Integrated closer
- Strike Lock 12/24V DC door monitoring – improved for user safety & security
- Twin Deadlocks to close down cubicle
- Auto lock (am) and unlock (pm), fully adjustable to suit requirements

Option: Stainless steel ‘porthole’

Interior Walls:

Either - ‘Johnson’ ZUBA1F 600x300 wall tiles (Client colour choice)

Or: Trespa high performance laminate

Wash hand basin / hand dryer / soap dispenser:

Solid Surface Wallgate Thrii® Handwash ‘no touch’ soap dispenser / hand wash & dry / flush mounted with services concealed in the service corridor / Hot Water temperature controlled by thermostat. No hot water therefore stored on site. (Client colour choice)

Mirror:

Stainless steel mirror

Toilet Pan:

Wallgate Solid Surface toilet pan. Plumbed to the main water supply, automatic ‘no touch’ DVS flushing system. (Client colour choice)

Lighting:

Twin energy saving 28W 2D opal polycarbonate low energy bulkhead style lights
Auto illuminate/switch off using internal PIR and ambient light setting– Emergency back-up

Ventilation:

Extract ventilation, triggered by PIR on entry, and time lapse switch off

Floor:

Either –Heavy Duty Altro Non-Slip Vinyl in all areas for user safety, hygiene, ease of cleaning, and long life wear resistance.

Or ‘Johnson’ 10mm anti-slip, ‘Dorset Grey’ floor tiles

All cubicles fitted with square or lateral drain

Babychange:

Option for Babychange. Fold down table by babypoint.

Waste, Sanitary and Sharps Bins:

Options for:

- Stainless steel Sharps bin, fitted through wall into service area.
- Solid surface single bin (By Wallgate)
- Stainless Steel twin Bin, fitted through wall into service area. (Marked for Sanitary, Sharps, General waste as required)
- Solid surface OR Stainless Steel Integrated Three in One bin and dispenser – Sharps, toilet paper and general waste bin

DDA cubicle:

Low-level & mid height alarm pull cord to activate audible warning signal plus activates external flashing red light – with internal cubicle reset

Two Coat Hooks

High visibility contrasting colour coated steel support-rails

Door fitted internally with full width pull handle

Additional Options:


Colostomy shelf

Babychange

Pull cord replaced with twin EAO push button bezzles

Service Area:

An area within the existing building to be prepared for 'service' access to electrical / mechanical and consumable equipment to replenish same. To incorporate a stainless steel sink unit.



Typical Interior of a disabled accessible cubicle