




SWINGS &
SPRING RIDERS

S111 Basket Swing



All our timbers are pressure treated with a chrome-free and arsenic free preservative which protects against decay and insect attack for 20 years.



High spec., co-extruded polyethylene 'Playtec' panels. It is extremely durable, will not fade in sunshine, it is unaffected by moisture, will not delaminate.



High quality countersunk torx head wood screw with special thread. Hardened steel with a brass effect finish.





Fastenings are tamper proof or capped with secure custom-made plastic tamper proof covers. All footholds have a slip-resistant surface.

Free Fall Height: 1.5m


Minimum Area: 7m x 3m

Features:

- Basket Swing
- Timber Posts
- Hot Dip Galvanized Steel Crossbeam



S101 Double Swing (Flat Seat)



All our timbers are pressure treated with a chrome-free and arsenic free preservative which protects against decay and insect attack for 20 years.



High spec., co-extruded polyethylene 'Playtec' panels. It is extremely durable, will not fade in sunshine, it is unaffected by moisture, will not delaminate.



High quality countersunk torx head wood screw with special thread. Hardened steel with a brass effect finish.





Fastenings are tamper proof or capped with secure custom-made plastic tamper proof covers. All footholds have a slip-resistant surface.

Free Fall Height: 1.5m
Minimum Area: 7m x 3m


Features:

- 2 Flat Seat Swings
- Timber Posts
- Hot Dip Galvanized Steel Crossbeam






JC102 Jungle Climber Midi



All our timbers are pressure treated with a chrome-free and arsenic free preservative which protects against decay and insect attack for 20 years.



Polypropylene covered multi-filament steel core rope secured with hydraulically pressed end connections and custom made tamper-proof net joints



Tanilith E pressure treated European Pine, sanded to produce a high quality finish. The raw material is sourced from well managed sustainable forests.




Fastenings are tamper proof or capped with secure custom-made plastic tamper proof covers. All footholds have a slip-resistant surface.

Free Fall Height: 1.5m

Minimum Area: 11.4m x 6.9m

Features:


- Spiral Step Climber
- 2 Notched Ladders
- Criss-Cross Climber
- Net With Climbing Blocks
- Cargo Net
- Net Climber
- 4 Ropes





CHALLENGER TRIM TRAIL RANGE

CP101 Hudson Trail



Free Fall Height: 1.1m

Minimum Area: 20m x 4m

Features:

- Chin-Up Bars
- Ramp Jump
- Balance Beam
- Stepping Logs (set of 4)
- Leapfrog Posts
- Swinging Log



All our timbers are pressure treated with a chrome-free and arsenic free preservative which protects against decay and insect attack for 20 years.




High spec., co-extruded polyethylene 'Playtec' panels. It is extremely durable, will not fade in sunshine, it is unaffected by moisture, will not delaminate.



Polypropylene covered multi-filament steel core rope secured with hydraulically pressed end connections and custom made tamper-proof net joints



Fastenings are tamper proof or capped with secure custom-made plastic tamper proof covers. All footholds have a slip-resistant surface.



SUR105 Grass Mat safety Surfacing



KEY INFORMATION

Our grass mats create a natural look to your playground but with additional cushioning around any play equipment items that children could fall from or trip on.

Ideal for helping to keep existing grass intact underneath for a natural touch, we recommend playground grass mats as the ideal compromise. When you use a group of our grass mats as part of your playground, you get a simple, cost-effective and durable safety alternative to our other safety surfaces.

ABOUT

Colour Option: Black

Dimensions (per mat): 1000mm x 1500mm

- Cost Effective
- Quick to Install